



Spitfire 21 Power Cleaner

Version Number: 5

Preparation date: 2015-06-15

1. IDENTIFICATION

Product name: Spitfire 21 Power Cleaner
Product Code: 95891789, 100870948
SDS #: MS0800202
Recommended use:

- Cleaning product
- This product is intended to be used neat.

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

| | |
|--|--|
| US Headquarters Sealed Air 8215 Forest Point Blvd. Charlotte, NC 28273-5509 Phone: 1-888-352-2249 SDS Internet Address: www.sds.sealedair.com | Canadian Headquarters Sealed Air - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-3131 |
|--|--|

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Serious eye damage/eye irritation Category 2A



Signal Word:

Warning.

Precautionary Statements

CAUSES SERIOUS EYE IRRITATION.

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ RTU

This product is intended to be used neat.

Precautionary Statements

See undiluted product information above.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

| Ingredient(s) | CAS # | Weight % |
|-----------------------------------|------------|---------------|
| Benzyl alcohol | 100-51-6 | 3% - < 5% |
| Diethylene glycol monoethyl ether | 111-90-0 | 1% - < 3% |
| Sodium xylene sulfonate | 1300-72-7 | 1% - < 3% |
| Alcohol ethoxylates | 68439-46-3 | 1% - < 3% |
| Monoethanolamine | 141-43-5 | > 0.1% - < 1% |
| Potassium hydroxide | 1310-58-3 | > 0.1% - < 1% |
| 2-butoxyethanol | 111-76-2 | > 0.1% - < 1% |

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Skin: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required.

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed: Not applicable.

Aggravated Medical Conditions: None known.

Diluted Product:

This product is intended to be used neat.

Eyes: See undiluted product information above.

Skin: See undiluted product information above.

Inhalation: See undiluted product information above.

Ingestion: See undiluted product information above.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Wash thoroughly after handling. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

| Ingredient(s) | CAS # | ACGIH | OSHA |
|-----------------------------------|------------|-------------------------------|---|
| Benzyl alcohol | 100-51-6 | - | - |
| Diethylene glycol monoethyl ether | 111-90-0 | - | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - |
| Alcohol ethoxylates | 68439-46-3 | - | - |
| Monoethanolamine | 141-43-5 | 6 ppm (STEL) 3 ppm (TWA) | 3 ppm (TWA) 6 mg/m ³ (TWA) |
| Potassium hydroxide | 1310-58-3 | 2 mg/m ³ (Ceiling) | - |
| 2-butoxyethanol | 111-76-2 | 20 ppm (TWA) | Skin 50 ppm (TWA) 240 mg/m ³ (TWA) |

Undiluted Product:

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

| | |
|----------------------------------|--|
| Eye protection: | Chemical-splash goggles. |
| Hand protection: | Chemical-resistant gloves. |
| Skin and body protection: | No special requirements under normal use conditions. |
| Respiratory protection: | No special requirements under normal use conditions. |
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice. |

Diluted Product:

This product is intended to be used neat.

Personal Protective Equipment

| | |
|----------------------------------|--|
| Eye protection: | Chemical-splash goggles. |
| Hand protection: | Chemical-resistant gloves. |
| Skin and body protection: | No personal protective equipment required under normal use conditions. |
| Respiratory protection: | No personal protective equipment required under normal use conditions. |
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid

Evaporation Rate: No information available

Odor threshold: No information available.

Melting point/range: Not determined

Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 8.47 lbs/gal 1.015 Kg/L

Bulk density: No information available

Flash point: > 200 °F > 93.3 °C

Dilution Flash Point: 200 °F 93.3 °C

Elemental Phosphorus: 0.00 % by wt.

pH: 12.3

Dilution pH: 12.3 @ RTU

Metal Corrosion: Not determined

Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear, Red

Odor: Fresh Pine

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 1.015

Vapor density: No information available

Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Viscosity: No information available

VOC: 0.45 % *

VOC % by wt. at use dilution 0.45 % *

Flammability (Solid or Gas): Not applicable

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable

Stability: The product is stable

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Do not mix with any other product or chemical unless specified in the use directions.

Conditions to avoid: No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: May be mildly irritating to skin. Symptoms may include redness and/or transient discomfort.

Eye contact: Causes serious eye irritation. Symptoms may include pain, redness, and watering.

Ingestion: May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

ATE - Inhalatory, mists (mg/l): >20

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers.

RCRA Hazard Class (undiluted product): Not Regulated

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through Internet Explorer**, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

IMDG (Ocean) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|-----------------------------------|-----------|--------|--------|--------|--------|
| Water | 7732-18-5 | - | - | - | - |
| Benzyl alcohol | 100-51-6 | X | - | X | - |
| Diethylene glycol monoethyl ether | 111-90-0 | - | X | - | - |
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |

| | | | | | |
|---------------------|------------|---|---|---|---|
| Alcohol ethoxylates | 68439-46-3 | - | - | - | - |
| Monoethanolamine | 141-43-5 | X | X | X | - |
| Potassium hydroxide | 1310-58-3 | X | X | X | X |
| 2-butoxyethanol | 111-76-2 | X | X | X | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------------------------|-----------|---------------|----------------------|-----------------------|-------------|
| Diethylene glycol monoethyl ether | 111-90-0 | 1% - < 3% | | | X |
| Potassium hydroxide | 1310-58-3 | > 0.1% - < 1% | 1000 | | |
| 2-butoxyethanol | 111-76-2 | > 0.1% - < 1% | | | X |

| Ingredient(s) | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------------------------|---------|---------|-------------------------|
| Diethylene glycol monoethyl ether | X | | |
| 2-butoxyethanol | X | | |

SARA 311/312 Hazard Categories

Immediate: X
Delayed: -
Fire: -
Reactivity: -
Sudden Release of Pressure: -

Canadian Regulations

| Ingredient(s) | CAS # | NPRI |
|-----------------|----------|------|
| 2-butoxyethanol | 111-76-2 | X |

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 2
Flammability 0
Instability 0

Version Number: 5
Preparation date: 2015-06-15

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.



Express Re-Order Now. Go to NationalEW.com Where Unsung Heroes Make It Happen™