

SAFETY DATA SHEET

1. Identification

Product identifier	enMotion® High Frequency Use Foam Hand Sanitizer		
Product list	enMotion® High Frequency Use Foam Hand Sanitizer, Fragrance Free, Dye Free SKU 42333 enMotion® High Frequency Use Foam Hand Sanitizer, Fragrance Free, Dye Free, 45 mL SKU GP6173 enMotion® High Frequency Foam Hand Sanitizer with Moisturizers SKU 42336		
Other means of identification	None.		
Recommended use	Hand Sanitizer		
Recommended restrictions	This product is regulated as an Over-the-Counter (OTC) drug in the US and is intended for personal care use.		
Manufacturer/Importer/Supplier/Distributor information			
Company name	Manufactured for:		
Address	Georgia-Pacific Consumer Products LP 133 Peachtree Street, NE Atlanta, GA 30303		
Telephone	Technical Information:	866.435.5647	
	SDS Request:	404.652.5119	
E-mail	MSDSREQ@GAPAC.com		
Emergency phone number	Chemtrec - Emergency:	800.424.9300	

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger		
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation.		
Precautionary statement			
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Wear protective gloves/eye protection, if handling large quantities.		
Response	In the event of large spill and subsequent exposure to the product: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.		
Storage	Store in a well-ventilated place. Keep cool.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYL ALCOHOL		64-17-5	55-70
ISOPROPYL ALCOHOL		67-63-0	1 - 5

Composition comments Percent by volume concentration of ETHYL ALCOHOL (64-17-5) is 70% (v/v).

Meets Alcohol Requirements stated in FDA Tentative Final Monograph for OTC Healthcare Antiseptic Drug Products – 21 CFR Part 333.410 (a).

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	If irritation occurs, flush skin with plenty of water. Call a physician if irritation persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxide (CO ₂). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Flammable liquid - may release vapors that form flammable mixtures at or above the flash point. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling	For external use only. Keep out of the reach of children. Do not get this material in contact with eyes. Wear gloves and safety glasses or goggles if handling large quantities. Do not handle or store near an open flame, heat or other sources of ignition. When using do not smoke.
--------------------------------------	---

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
ETHYL ALCOHOL (CAS 64-17-5)	PEL	1900 mg/m ³
ISOPROPYL ALCOHOL (CAS 67-63-0)	PEL	1000 ppm
		980 mg/m ³
		400 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
ETHYL ALCOHOL (CAS 64-17-5)	STEL	1000 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
ETHYL ALCOHOL (CAS 64-17-5)	TWA	1900 mg/m ³
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	1000 ppm
		1225 mg/m ³
	TWA	500 ppm 980 mg/m ³ 400 ppm

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
ISOPROPYL ALCOHOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection None necessary under normal conditions of use. Wear safety glasses or goggles if handling large quantities.

Skin protection

Hand protection None necessary under normal conditions of use. Wear appropriate gloves if handling large quantities.

Other None necessary under normal conditions of use. Wear appropriate gloves if handling large quantities.

Respiratory protection Under normal conditions of use respiratory protection is not expected to be required.

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke.

9. Physical and chemical properties**Appearance**

Physical state	Liquid.
Form	Foam when dispensed.

Color	Clear colorless
Odor	Alcohol
Odor threshold	Not available.
pH	6 - 9
Melting point/freezing point	-173.38 °F (-114.1 °C) estimated
Initial boiling point and boiling range	173.3 °F (78.5 °C) estimated
Flash point	68.0 °F (20.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	685 °F (362.78 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flammability class	Flammable IC estimated
Specific gravity	0.9
VOC	67.45 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Acids. Metals. Chlorine.
Hazardous decomposition products	Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be released.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No effects expected under normal conditions of use.
Skin contact	No effects expected under normal conditions of use. Prolonged skin contact may cause temporary irritation.
Eye contact	Causes serious eye irritation.
Ingestion	No effects expected under normal conditions of use. May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
enMotion® High Frequency Use Foam Hand Sanitizer		
Acute		
Dermal		
LD50	Rabbit	517 ml/kg estimated 195 g/kg estimated
Oral		
LD50	Guinea pig	36022 g/kg estimated
	Mouse	12998 mg/kg estimated
	Rat	457 ml/kg estimated 184 g/kg estimated

Components	Species	Test Results
ETHYL ALCOHOL (CAS 64-17-5)		
Acute		
Inhalation		
LC50	Rat	117 - 125 mg/l, 4 Hours
Oral		
LD50	Mouse	8300 mg/kg
ISOPROPYL ALCOHOL (CAS 67-63-0)		
Acute		
Dermal		
LD50	Rabbit	16.4 ml/kg
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 1000 ppm, 6 hours
Oral		
LD50	Rat	5.84 g/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not hazardous under normal conditions of use.

Ethanol: Chronic ingestion of ethanol in alcoholic beverages is classified by IARC as Group 1 Carcinogenic to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause reproductive/developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver toxicity.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
enMotion® High Frequency Use Foam Hand Sanitizer		
Aquatic		
Fish	LC50	19709.2188 mg/l, 96 hours estimated
Components		
Species		
Test Results		
ETHYL ALCOHOL (CAS 64-17-5)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 13400 - 15100 mg/l, 96 hours
ISOPROPYL ALCOHOL (CAS 67-63-0)		
Aquatic		
Fish	LC50	Pimephales promelas 10000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYL ALCOHOL	-0.31
ISOPROPYL ALCOHOL	0.05

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This product, if discarded as supplied, is considered a hazardous waste under RCRA, D001.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP1, TP8, TP28
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242

IATA

UN number	UN1993
UN proper shipping name	Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	3H
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

UN number	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), LIMITED QUANTITY
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-E
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

DOT**IATA; IMDG**

General information May be classified/shipped as Limited Quantity (LTD QTY) if Packaging exceptions requirements are met.

15. Regulatory information

US federal regulations SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This product is regulated under the US Federal Food, Drug, and Cosmetic Act.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

Revision information

Hazard(s) identification: Emergency overview
Composition/information on ingredients: Composition comments
Accidental release measures: Methods and materials for containment and cleaning up
Handling and storage: Precautions for safe handling
Physical and chemical properties: Appearance
Physical and chemical properties: Color
Physical and chemical properties: Form
Physical and chemical properties: Flammability (solid, gas)
Stability and reactivity: Conditions to avoid
Ecological information: Persistence / degradability
Disposal considerations: Contaminated packaging
Transport information: General information
Other information, including date of preparation or last revision: Further information