

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A07335 ZEP HI PRES LUBE R07101 20n13

Material number : 00000000001040951

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

**Emergency telephone numbers**
**For SDS Information** : Compliance Services 1-877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

**SECTION 2. HAZARDS IDENTIFICATION**
**Emergency Overview**

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | amber, clear                       |
| Odour      | solvent-like                       |

**GHS Classification**

Flammable aerosols : Category 1  
 Gases under pressure : Liquefied gas  
 Skin irritation : Category 2  
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

**GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
 H280 Contains gas under pressure; may explode if heated.  
 H315 Causes skin irritation.  
 H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**Potential Health Effects**
**Carcinogenicity:**
**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

| Chemical Name                               | CAS-No.     | Concentration [%] |
|---|-------------|-------------------|
| Heptane, branched, cyclic and linear        | 426260-76-6 | >= 20 - < 30      |
| propane                                     | 74-98-6     | >= 10 - < 20      |
| butane                                      | 106-97-8    | >= 10 - < 20      |
| Distillates (petroleum), hydrotreated light | 64742-47-8  | >= 5 - < 10       |

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

---

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
  
Consult a physician after significant exposure.  
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
If on clothes, remove clothes.  
  
If skin irritation persists, call a physician.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.  
If in eyes, rinse with water for 15 minutes.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
- 

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Smoke
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.
-

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

Use a water spray to cool fully closed containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Strong oxidizing agents

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

| Components                           | CAS-No.     | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|--------------------------------------|-------------|----------------------------------|---|-----------|
| Heptane, branched, cyclic and linear | 426260-76-6 | TWA                              | 85 ppm<br>350 mg/m <sup>3</sup>                   | NIOSH REL |
|                                      |             | C                                | 440 ppm<br>1,800 mg/m <sup>3</sup>                | NIOSH REL |
|                                      |             | TWA                              | 500 ppm<br>2,000 mg/m <sup>3</sup>                | OSHA Z-1  |
|                                      |             | TWA                              | 400 ppm<br>1,600 mg/m <sup>3</sup>                | OSHA P0   |
|                                      |             | STEL                             | 500 ppm<br>2,000 mg/m <sup>3</sup>                | OSHA P0   |
| propane                              | 74-98-6     | TWA                              | 1,000 ppm   | ACGIH     |
|                                      |             | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | NIOSH REL |
|                                      |             | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | OSHA Z-1  |
|                                      |             | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | OSHA P0   |
| butane                               | 106-97-8    | TWA                              | 800 ppm<br>1,900 mg/m <sup>3</sup>                | NIOSH REL |
|                                      |             | TWA                              | 800 ppm<br>1,900 mg/m <sup>3</sup>                | OSHA P0   |

**Personal protective equipment**

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.  
In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Safety glasses  
  
Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|  |                                      |
|--|--------------------------------------|
| Appearance                             | : Aerosol containing a liquefied gas |
| Colour                                 | : amber, clear                       |
| Odour                                  | : solvent-like                       |
| Odour Threshold                        | : no data available                  |
| pH                                     | : not applicable                     |
| Melting point/freezing point           | : not applicable                     |
| Boiling point                          | : no data available                  |
| Flash point                            | : < -18 °C<br>Method: closed cup     |
| Evaporation rate                       | : > 1                                |
| Flammability (solid, gas)              | : Extremely flammable aerosol.       |
| Upper explosion limit                  | : no data available                  |
| Lower explosion limit                  | : no data available                  |
| Vapour pressure                        | : no data available                  |
| Relative vapour density                | : no data available                  |
| Density                                | : 0.75 g/cm <sup>3</sup>             |
| Solubility(ies)                        |                                      |
| Water solubility                       | : insoluble                          |
| Partition coefficient: n-octanol/water | : no data available                  |
| Auto-ignition temperature              | : not determined                     |
| Thermal decomposition                  | : no data available                  |
| Viscosity                              |                                      |
| Viscosity, kinematic                   | : no data available                  |
| Heat of combustion                     | : 31.21 kJ/g                         |

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Stable  |
| Chemical stability                 | : Stable under normal conditions.                     |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

Vapours may form explosive mixture with air.

|                                  |  |
|----------------------------------|--|
| Conditions to avoid              | : Heat, flames and sparks.   |
| Incompatible materials           | : Strong oxidizing agents  |
| Hazardous decomposition products | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

no data available

**Skin corrosion/irritation****Product:**

Remarks: Irritating to skin.

**Serious eye damage/eye irritation****Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Respiratory or skin sensitisation**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

no data available

**Reproductive toxicity**

no data available

**Heptane, branched, cyclic and linear:****propane:****butane:****Distillates (petroleum), hydrotreated light:****STOT - single exposure**

no data available

**STOT - repeated exposure**

no data available

**Aspiration toxicity**

no data available

**Further information****Product:**

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

Remarks: no data available

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

**Components:****Distillates (petroleum), hydrotreated light:**

Remarks: no data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential****Product:**

Partition coefficient: n-octanol/water : Remarks: no data available

**Components:****butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**Mobility in soil**

no data available

**Other adverse effects**

no data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : no data available

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life., Harmful to aquatic life with long lasting effects.

**Components:**



**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

**Distillates (petroleum), hydrotreated light :****Additional ecological information : no data available****SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):  
UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):  
UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, 2.1, - Limited quantity

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard  
Fire Hazard

**A07335 ZEP HI PRES LUBE R07101 20n13**

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

## Sudden Release of Pressure Hazard


- SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

- TSCA** On TSCA Inventory  
**DSL** This product contains one or several components that are not on the Canadian DSL nor NDSL.
- AICS** Not in compliance with the inventory  
**NZIoC** Not in compliance with the inventory  
**PICCS** Not in compliance with the inventory  
**IECSC** Not in compliance with the inventory

**Inventory Acronym and Validity Area Legend:**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**SECTION 16. OTHER INFORMATION**
**Further information**
**NFPA:**

**HMIS III:**

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>3</b> |
| <b>FLAMMABILITY</b>    | <b>4</b> |
| <b>PHYSICAL HAZARD</b> | <b>2</b> |

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

OSHA GHS Label Information:

## A07335 ZEP HI PRES LUBE R07101 20n13

Version 2.0

Revision Date 02/10/2015

Print Date 06/26/2015

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause drowsiness or dizziness.

Precautionary statements

:

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves.

**Response:** IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

**Storage:** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.



Express Re-Order Now. Go to [NationalEW.com](http://NationalEW.com) Where Unsung Heroes Make It Happen™